## Metaversalize



www.meta.reapress.com

Metaverse Vol. 1, No. 2 (2024) 81-90.

Paper Type: Original Article

# Database Security in Psychiatry: Leveraging Large Language Models and Blockchain for Secure Data

## Management

### Joel Nithish Kumar Murugan<sup>1,\*</sup>, Padmavathi Vyshnavi Madarampalli<sup>1</sup>, Shashikant Ramesh Yadav<sup>1</sup>

<sup>1</sup> Illinois Institute of Technology, Chicago, Illinois, United States of America; jmurugan@hawk.iit.edu, pmadarampalli@hawk.iit.edu, syadav15@hawk.iit.edu.

#### Citation:

Received: 05 October 2023	Murugan, J. N. K., Madarampalli, P. V., & Yadav, S. R. (2024). Database
Revised: 26 December 2023	security in psychiatry: leveraging large language models and blockchain
Accepted: 21 March 2025	for secure data management. Metaversalize, 1(2), 81-90.

#### Abstract

In the current digital age, effectively managing psychiatric data has emerged as a significant challenge due to the highly sensitive nature of the information involved—from personal histories to therapy notes, behaviors, and diagnostic results. Unauthorized access or mishandling of this data could result in privacy violations, discrimination, and a further decline in trust in mental health systems. This paper examines how two disruptive technologies—Large Language Models (LLMs) and Blockchain—collaborate to overcome these challenges. LLMs are particularly adept at processing unstructured data, offering in-depth and insightful clinical analytics for tailored mental health interventions while ensuring patient confidentiality is upheld. Blockchain technology guarantees data integrity, immutability, and decentralized storage, enhancing security and enabling controlled access to sensitive psychiatric records. The merger of these technologies will create a secure, efficient, and privacy-respecting system for managing psychiatric data, which will enhance clinical decision-making and safeguard patient trust. The suggested framework will incorporate a Blockchain-based decentralized storage component, a data analytics layer supported by LLMs, and a secure interface for regulated access to data that adheres to ethical and regulatory standards. This integration represents a significant advancement in addressing the unique challenges associated with managing psychiatric data in healthcare.

Keywords: Large language models, Secure data storage, Privacy-preserving, Blockchain.

## 1|Introduction

In the modern world, sensitive data in different fields are prone to data breaches. One such data source is patient data in healthcare. Health care is a field where sensitive data highly needs security and privacy; considering fields like psychiatry, the data is highly sensitive where the patient records containing health history, diagnostic evaluations, therapy notes, patient narratives, and session transcripts, which, when

🔄 Corresponding Author: jmurugan@hawk.iit.edu

https://doi.org/10.22105/metaverse.v1i2.63



Advanced technologies and sensitive medical data present unpredicted challenges, which can be seen more evidently in different healthcare management systems but most prominently in psychiatric care. The combination of two cutting-edge technologies, Large Language Models (LLMs) [2] and Blockchain technologies [3]. The management of psychiatric data is one of the major concerns in health care. The patient records include sensitive information like personal histories, diagnoses, treatment plans, behavioral data, and notes from therapy sessions. Unauthorized access to such data can pose severe consequences to the patients, both physically and mentally. Traditional database systems that cannot manage such confidential information are functional and often can't provide a high level of data security and data privacy.

The two major technologies, LLM's and Blockchain technologies, when worked together, work as barriers for most prominent and sensitive data as [4].

## 1.1| Large Language Model's and Blockchain Technologies

These integrated advanced technologies provide significant development in healthcare, especially in psychiatry, where large amounts of complex and sensitive data can be found. Integrating these technologies ensures proper management and analysis of large unstructured data. It also ensures privacy in terms of behavioural data, diagnosis tests, unstructured therapy notes, and confidential information of patients and helps in providing proper clinical analysis for doctors.

These technologies are often distinct from traditional methods as they can effectively work with large amounts of unstructured data while maintaining privacy and a high level of security.

Blockchain technology is uniquely distinguished for allowing secured storage, limited access to data, integrity, and transparency [5]. On the other hand, LLMs are well known for their Natural Language Processing (NLP) capabilities [6], which ensure the analysis of large unstructured data, tracking the latest trends, and providing accurate treatment. When implemented together, both completely focus on ensuring data storage, privacy, analytics, and proper meaningful insights. These advanced technologies work as barriers to securing large amounts of data and confidential data, which are more prominent in the healthcare industry and, more specifically, in psychiatry.

## 2 | Literature Survey

The intelligence era is upon us, and the LLMs are storming worldwide. These models are revolutionizing how we interact with technology and have demonstrated exceptional capabilities in tasks such as reasoning, summarization, inference, etc. Due to this, they are widely applicable in fields like finance, healthcare, marketing, analytics, etc. Organizations are moving fast and waste no time incorporating these technologies into their products. Fundamentally, these models are trained on vast amounts of existing data. However, it is important to understand that the data security requirements vary across sectors, and some are more stringent than others. The healthcare sector is a highly regulated industry governed by stringent laws like the Health Insurance Portability and Accountability Act (HIPAA). This ensures that high data security, confidentiality, and integrity standards are maintained for patient health information, and exposure to personal data could have serious consequences for the organization. Given the huge potential of LLMs in healthcare, the strict data security regulations cannot hold back its applicability in the industry. To address the security needs of the healthcare sector, incorporating Blockchain with LLMs has been recommended [7]. Further, this literature survey will examine the current state of research on LLMs in mental health care and the challenges and ethical considerations surrounding their use.

LLMs have demonstrated remarkable abilities in comprehending human language and understanding its sentiment, thereby demonstrating huge potential for application in psychiatric care. The review by Lawrence et al. [8] explored using LLMs like ChatGPT in psychiatric care. They noted the remarkable potential of LLMs in clinical reasoning and the ability to assist in diagnosing mental health disorders, managing depression, etc. LLMs could offer personalized assistance to patients and aid them in overcoming their clinical conditions. However, they also highlighted the limitations of these models in understanding complex cases and underestimating the suicidal risks in patients.

A systematic review of Blockchain technology in healthcare was conducted by Agbo et al. [9] exploring the potential of Blockchain in various healthcare-related fields. It highlighted Blockchain's ability to enhance the confidentiality and security of healthcare data. Moreover, it could also facilitate the secure sharing of medical information amongst hospitals, thereby improving the interoperability of healthcare systems. This increases the transparency of the healthcare system and renders data tampering practically impossible. It also grants the patients greater control over their healthcare data. However, the review also identified specific challenges that may arise from adopting Blockchain technology. The healthcare industry handles huge volumes of data stored in various formats. Implementing Blockchain technology at this scale may lead to scalability issues and challenges arising from Blockchain integration with existing systems. Given the industry's highly regulated nature, compliance with regulatory norms and data protection laws may pose a challenge. The immutable nature of Blockchain records may be a drawback in certain scenarios as it may cause privacy concerns. Hence, there is a need to build consensus over the use of Blockchain in healthcare and its implementation and integration with the existing systems.

The paper "future of digital health with federated learning" [10] argued that the immense potential of machine learning models in healthcare was curtailed because huge volumes of data are restricted in silos, and privacy concerns often prevent their usage. It proposes using federated learning to assuage data privacy concerns and simultaneously unlock the true potential of the data. Federated learning is a decentralized learning process where the machine learning models are trained on the data stored locally in the system. Hence, it satisfies the industry's data protection requirements and, at the same time, allows insights to be gained from the distributed datasets. As discussed, Blockchain relies on decentralization of data to ensure the entire system's security. Likewise, in federated learning, models are trained on the edge devices, and the data never leaves the local systems. A similar approach could be employed for language models that are developed using federated learning, thereby satisfying the data requirements of the industry and enabling insights to be gained from it.

Since Artificial Intelligence (AI) models rely heavily on data quality and representativeness, biases, and inaccuracies can be perpetuated. Also, given that LLMs are trained using neural networks, they operate as black boxes having very low interpretability. Hence, it may be challenging for psychiatrists to understand the reasoning behind the AI-generated responses. AI systems may struggle to understand the minor nuances in human speech, such as sarcasm and exaggeration. Language models may not adequately capture the time-varying nature of mental disorders, and over-reliance on AI-generated responses may prove detrimental in critical situations. Also, the accountability for life threatening events that AI-generated responses may cause is not well defined. The loneliness caused by the digital revolution may be exacerbated by the use of AI, especially in situations where human experiences and empathy are paramount [11]. The immense potential of AI in healthcare is undeniable. However, at this stage, it may be prudent to use AI to help psychiatrists better understand their patients and help them diagnose rather than permitting the language models to provide unsupervised guidance to patients.

## 3 | Methodology

## 3.1 | Data Collection in Psychiatry

The structured assessments, including specialized insight scales, psychological questionnaires, personality inventories, and clinical interviews are very important in the diagnosis of mental disorders and in gauging the

patients' insight or awareness of their illness. These assessments enable clinicians to study the multiple dimensions within the patient's self-awareness of the mental state regarding his surroundings and the intent to learn about one's condition. For example, the insight scales elaborated for specific disorders, such as schizophrenia or depression, use detailed questionnaires to probe into awareness of hospitalization, attitude toward mental illness, and mastery over one's situation. In turn, insight assessment may give qualitative and quantitative information about patient improvement, allowing clinicians to monitor changes in self-concept and symptom awareness over time. These assessment findings also yield data on insight into an association with the severity of illness for an overall representation of a patient's mental health status and course [12].

The unstructured data, such as the therapist session notes or therapy session transcripts, is full of sensitive information regarding patients and case histories and expressions about emotions, helping to understand the patient's mentality in a subjective manner.

Diagnostic tools and test results include standardized diagnostic tools such as the DSM-5 and psychometric tests, like PHQ-9 and GAD-7 for depression and anxiety, respectively, that provide structured quantitative data on the status of mental health.

Behavioral data includes observed behaviors, treatment responses, and real-time monitoring when using digital tools or apps. This gives it a digital dimension, considering that it may come from wearables or mHealth applications.

Medication and treatment plans will contain prescribed medication, including dosages and treatment outcomes. This information enables tracking the effectiveness of treatment and adherence to treatment.

This is a very diverse type of data, adding to the psychiatrist's knowledge of the patient. Its sensitive nature, demanding storage securely and restricted access, makes management very complex.

### 3.2 | Data Sensitivity and Security Needs

Mental health data is highly personal; it contains data about patients' trauma experiences, behavior, interpersonal relationships, and even mental states. This makes the data very sensitive because disclosure in an improper manner may affect a patient's privacy and security.

The psychiatric data, if accessed without authorization, could lead to severe impacts such as social ostracism, discrimination, or even harm to self or others. For example, disclosures on mental health may affect a person's chances of getting employment, insurance eligibility, or even their relationships.

The regulative frameworks, like HIPAA in the United States, raise the bar with strict protection of privacy for health care data, including those on mental health. Ethical standards in psychiatry also require that the data be not only correct but also stored in a manner that respects patient confidentiality and protects it legally.

Data sensitivity, vulnerability, and other compliances have created the need for secure data storage systems that offer controlled access, immutability, and transparency. Blockchain, combined with access controls and encryption, provides just the right solution. It provides data privacy on the one hand and enables authorized use to do analytics or even treatment monitoring on the other.

Any secure system should log onto those who accessed data so that traceability is enabled only to authorized personnel, leaving clear touch points. This helps increase accountability, particularly when data is used for research or AI-based analysis.

## 3.3 | Implementing Large Language Models for Data Analysis in Psychiatry

With LLMs, the range of psychiatric data analysis is huge, clinical insight is enhanced, and patient care is enhanced. The nature of data collection in psychiatry encompasses several unstructured forms, such as therapist notes, session transcripts, and assessment summaries. LLMs use NLP techniques to decode complex language forms and extract information, such as identifying the sentiment or emotional tone in a patient's speech, which is important when monitoring mental health. For instance, LLMs may pick up minute linguistic cues of changing a patient's mental state, giving broader insight into the patient's emotional status [16]. With topic modeling and summarization, LLMs systematize information from several sessions to effectively allow clinicians to review patient history and symptom changes without going through vast notes. The synthesis and prioritization capability further enhances patient monitoring and allows practitioners to rivet their resources on a few important areas that really need intervention.

Privacy preserving approaches can be integrated into LLMs using differential privacy techniques. These introduce controlled statistical noise, anonymizing individual data points but leaving the aggregate analysis intact. Therefore, such measures allow LLMs to generate such insights without risking patient confidentiality, which is central to maintaining trust in AI-enhanced psychiatric tools. Using the former, through analyzing general patterns rather than specific ones and thus shielding sensitive information regarding patients, LLMs can significantly assist clinicians in grasping broad mental health trends and personalizing treatment. Applying LLMs in psychiatry would enhance the diagnosis and precision of therapy. At the same time, all benefits would be lucratively secured responsibly through given privacy safeguards.

Despite the advantages, implementing LLMs in psychiatry raises essential challenges concerning data bias, ethical considerations, and transparency. LLMs would be trained on large datasets, which tend to expose models to socio-cultural biases that might afterward affect clinical acumen unintended and result in biased or unfair assessments. In mental health, this might be particularly problematic, as behavioral misinterpretation based on demographic or cultural variables may occur. Therefore, these LLMs in psychiatry should be trained on carefully curated data, reflecting balanced perspectives, so that bias becomes minimal and the model outputs are in consonance with accurate and just assessments of mental health.

The sensitive nature of psychiatric data also builds up extreme demands regarding ethical practices concerning privacy and informed consent. Any unauthorized access or improper data handling might result in a serious breach of confidentiality for a patient. It might slowly lead to losing confidence in using AI technologies within healthcare. Psychiatric institutions must use robust anonymization processes and clearly inform patients about the usage and analysis their data will be put to. Similarly, building clinician confidence requires transparent and explainable AI practices. As many LLMs are black-box models, it might be non-intuitive for the clinician to understand how some conclusions have been derived. By using explainability techniques, such as summarized insight or confidence scores, clinicians will more easily validate and build trust in LLM output and thoughtfully integrate it into patient care.

Besides data privacy and transparency, patients' autonomy must be preserved by being entitled to consent to or opt out of analyses based on LLMs. Thus, the added advantage of accessing data with controls is that it secures such information against unauthorized access, which also aligns the application of the LLM to privacy and ethical standards. These ethical measures form a basis for responsible use that, together with technical safeguards, enables AI to support mental health care in ways that put the welfare of patients first and uphold clinical integrity.

### 3.4 | Blockchain for Psychiatry-Ensuring Security of Data Storage

Coupled with Blockchain technology, which securely stores psychiatric data, is a revolution in the mental health sector's data management field. The decentralized and immutable nature of the Blockchain especially applies to handling sensitive psychiatric information, where confidentiality and data integrity are the main concerns. Psychiatric records often contain highly sensitive personal data; unauthorized access or alteration may interfere with the patient's privacy and trust. Blockchain technology enables it to meet these challenges by safely storing data transparently and effectively controlling access based on cryptographic mechanisms and identification protocols.

### 3.5 | Designing a Blockchain Solution for Psychiatric Data

Psychiatric data stored using a Blockchain solution provides security and tamper evidence through cryptographic techniques. Data about each patient can be encrypted and kept in a distributed ledger, with

access controlled by cryptographic keys. Only the corresponding decryption keys, held by authorized parties such as designated clinicians or other authorized healthcare providers, could view or update the information and, therefore, keep patient information confidential. This can be achieved by implementing asymmetric cryptography, in which one participant has a private key, kept secret, and a public key that lets others verify their identity without revealing the private information. This creates opportunities for strict control over access on a very granular, role-based level, preventing unauthorized exposure or editing of sensitive data.

Moreover, immutability in Blockchain means that data cannot be removed after being recorded or retroactively altered [13]. Any modifications are written as new entries, leaving the original recordings intact, thereby allowing for an audit trail that is quite transparent and really states who accessed or changed information related to a patient. In psychiatric contexts where data integrity bears consequences in clinical decision-making, this kind of auditability is demanded. In addition, permissioned Blockchain architectures, such as Hyperledger Fabric, can be used interchangeably to introduce an additional layer of access control, allowing access to selected nodes within the network only to the owner. Thus, in such scenarios, only certified network participants, such as licensed psychiatrists or institutional administrators, would be authorized to participate and, by doing so, further minimize unauthorized access or potential data breach incidents.

### 3.6 | Interfacing Large Language Models with Blockchain

Things become further complicated when LLMs are given access to psychiatric data stored in Blockchains. This requires creating a method that allows LLMs to securely interface with Blockchains, where data access and model analysis can only be performed with proper oversight. This is the point at which a secure API or oracle would serve as a bridge between the LLM and the Blockchain. This means that the oracles fetch only selected data from the Blockchain, depending on what the AI model queries. This way, LLM will not directly access raw Blockchain data but get only relevant and authorized information. This structure will also ensure that data integrity is maintained and that the LLM is not allowed uncontrolled access to sensitive patient records.

To ensure that the data is kept secure during this interface, each data request by the LLM could be validated via a smart contract [14]. These smart contracts, baked into the Blockchain, verify a requester's identity and permission level before divulging data. This approach allows for avoiding requests for unauthorized or unwarranted access and offers a method of safely automating interaction with the Blockchain and LLM. Additionally, methods of encryption and anonymization can be employed such that even LLMs receive data in de-identified form, according to privacy standards such as HIPAA.

Time-stamped and immutable records from Blockchain further enhance the security of LLM integrations by providing tamper evidence logs for each access request and interaction. When training LLMs on trends in aggregate data is necessary, this may be done using privacy preservation techniques such as federated learning or differential privacy. While LLMs learn psychiatric data, they do so without compromising individual patients' privacy and also follow the ethical use of such data for mental healthcare.

## 4|System Design-Integration of Blockchain and Large Language Model for Psychiatry Medical Care

This system will integrate Blockchain technology with LLMs to enable secure and efficient psychiatric care. The system's design should collect, store, and analyze sensitive psychiatric data with an emphasis on data privacy, integrity, and access authorization, furthering clinical insights through AI-driven data analysis.

### 4.1 | System Components

Data collection and storage layer (blockchain)

Data come from psychiatric data, including structured assessments-for example, insight scales, and diagnostic questionnaires-unstructured sources, such as therapist notes and session transcripts, behavioral data, like real-time monitoring with wearable devices, and treatment records, such as lists of medications and dosages.

#### Storage

Each entry will be encrypted and stored in a decentralized, tamper-proof ledger by a permission Blockchain like Hyperledger Fabric. Because this is Blockchain, any entry in the database is traceable and immutable, and each entry will show timestamp information about the identity of authorized personnel who accessed it.

#### **Control access**

Asymmetric encryption only makes Patient information available to authenticated users, clinicians, and other caregivers. Data is protected by cryptographic keys in that no third party can access the data except a select few who have been allowed to decrypt the keys; thus, there is data confidentiality and consideration of privacy laws such as HIPAA.

### 4.2 | Large Language Model-Layer of Data Processing and Analysis

#### Unstructured data NLP

The LLM will process unstructured text from the therapy notes, session transcripts, and patient selfassessments; perform the overall sentiment and topic modeling to provide insight into the patient's state of mind, their behavioral modifications, and improvement that the clinicians review for temporal monitoring of mental health.

#### Data summarization and prioritization

LLM summarizes patient history to identify symptoms or areas that need intervention, saving clinicians the work of going through voluminous notes manually. It will also track subtle linguistic changes that may signal shifts in mental health features, which will be particularly useful for early detection and response to changes in mental health conditions.

#### Privacy-preserving data processing

A classic example is differential privacy, a technique that allows LLM to analyze the trend across patients with assurance that individual patient data is anonymous and, hence, confidential while supporting personalized and population-level insights.

### 4.3 | Interface Layer: Secure API/Oracle

#### Data bridge

In the interaction between the Blockchain and the LLM, an intermediary could allow controlled data access based on pre-defined permissions. This oracle fetches relevant data fields from the LLM but does not reveal raw data from underneath the Blockchain.

#### Smart contracts for validation

Each request for data is first validated by smart contracts, which ensure that only the authorized queries are returned. This would prevent unauthorized access because smart contracts impose permissions and audit each interaction with the LLM.

#### Anonymization and encryption

The interfacing layer further anonymizes data as required and ensures that all privacy standards are satisfied without exposing sensitive identifiers to the LLM's data processing pipeline.

### 4.4 | Audit and Compliance Module

#### Access logs

The Blockchain log's immutable record logs each access or modification request, leaving a clear audit trail that traces data interactions. This level of transparency enhances accountability and can be reviewed against compliance or auditing purposes.

#### **Real-time alerts**

Each unauthorized attempt to access or modify data will trigger alerts to the administrator for timely responses in case of a possible security breach. This ensures that psychiatric records remain intact and unviolated.

#### Patient consent management

The patient may grant or revoke consent to perform specific analytics on their data. The system will register the patient's preferences transparently using the Blockchain. This gives the patient control over how their data are used and adheres to ethical guidelines related to informed consent (*Fig. 1*).



Fig. 1. System design.

## 5 | Conclusion

Integration of Blockchain and LLMs for Sensitive Psychiatric Data: Blockchain is a decentralized, immutable ledger that allows unparalleled security, transparency, and access to data, while LLMs are advanced in uncovering meaning from unstructured data and providing clinical insights. Put together, these technologies meet the challenges of protecting psychiatric data from breaches, ensuring regulatory compliance, and protecting patient confidentiality.

A synergy that offers a better guarantee of security and integrity for psychiatric records and advances quality in care through data-driven, personalized interventions. The sensitive data analytics are done responsibly and ethically as the proposed system design incorporates secure APIs, techniques that preserve privacy, and realtime monitoring. This integration is poised to disrupt psychiatric data management by empowering clinicians with actionable insights while ensuring patient privacy, enabling trust, improving outcomes, and setting a new standard in innovation for mental health.

## Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or not-forprofit sectors.

## Data Availability

All data supporting the reported findings in this research paper are provided within the manuscript.

## **Conflicts of Interest**

The authors declare no conflict of interest.

### References

- Small, S. S., Hohl, C. M., & Balka, E. (2021). Patient perspectives on health data privacy and implications for adverse drug event documentation and communication: Qualitative study. *Journal of medical internet research*, 23(1), e21452. https://doi.org/10.2196/21452
- [2] Chang, Y., Wang, X., Wang, J., Wu, Y., Yang, L., Zhu, K., ..., & Xie, X. (2024). A survey on evaluation of large language models. ACM transactions on intelligent systems and technology, 15(3), 1–45. https://doi.org/10.1145/3641289
- [3] Habib, G., Sharma, S., Ibrahim, S., Ahmad, I., Qureshi, S., & Ishfaq, M. (2022). Blockchain technology: Benefits, challenges, applications, and integration of blockchain technology with cloud computing. *Future internet*, 14(11), 341. https://doi.org/10.3390/fi14110341
- [4] Geren, C., Board, A., Dagher, G. G., Andersen, T., & Zhuang, J. (2025). Blockchain for large language model security and safety: A holistic survey. ACM SIGKDD explorations newsletter, 26(2), 1–20. https://doi.org/10.1145/3715073.3715075
- [5] Xu, P., Lee, J., Barth, J. R., & Richey, R. G. (2021). Blockchain as supply chain technology: Considering transparency and security. *International journal of physical distribution & logistics management*, 51(3), 305–324. https://doi.org/10.1108/IJPDLM-08-2019-0234
- [6] Xue, Q. (2024). Unlocking the potential: A comprehensive exploration of large language models in natural language processing. *Applied and computational engineering*, 57, 247–252. https://doi.org/10.54254/2755-2721/57/20241341
- [7] Murugan, J. N. K., Madarampalli, P. V., & Yadav, S. R. (2025). Database security in psychiatry: Leveraging large language models and blockchain for secure data managemente data management. *Metaversalize*, 2(1), 1–10. https://meta.reapress.com/journal/article/view/44
- [8] Lawrence, H. R., Schneider, R. A., Rubin, S. B., Matarić, M. J., McDuff, D. J., & Bell, M. J. (2024). The opportunities and risks of large language models in mental health. Journal of medical internet research *mental health*, 11(1), e59479. https://doi.org/10.2196/59479
- [9] Agbo, C. C., Mahmoud, Q. H., & Eklund, J. M. (2019). Blockchain technology in healthcare: A systematic review. *Healthcare*, 7(2), 56. https://doi.org/10.3390/healthcare7020056
- [10] Rieke, N., Hancox, J., Li, W., Milletarì, F., Roth, H. R., Albarqouni, S., ..., & Cardoso, M. J. (2020). The future of digital health with federated learning. *Npj digital medicine*, 3(1), 119. https://doi.org/10.1038/s41746-020-00323-1

- [11] Hanna, M. G., Pantanowitz, L., Jackson, B., Palmer, O., Visweswaran, S., Pantanowitz, J., ..., & Rashidi, H.
  H. (2025). Ethical and bias considerations in artificial intelligence/machine learning. *Modern pathology*, 38(3), 100686. https://doi.org/10.1016/j.modpat.2024.100686
- [12] Davey, G. C. (2021). Psychopathology: Research, assessment and treatment in clinical psychology. John Wiley & Sons. https://b2n.ir/zb2294
- Politou, E., Casino, F., Alepis, E., & Patsakis, C. (2021). Blockchain mutability: Challenges and proposed solutions. *IEEE transactions on emerging topics in computing*, 9(4), 1972–1986. https://doi.org/10.1109/TETC.2019.2949510
- [14] Boi, B., Esposito, C., & Lee, S. (2024). Smart contract vulnerability detection: The role of large language model (LLM). ACM SIGAPP applied computing review, 24(2), 19–29. https://doi.org/10.1145/3687251.3687253